Annex C Analysis of the Videotapes Compiled From Video Recce Mission 5/6 November 2003

Team Delta	Tape 1		
Tape Reference	MGRS/ Room Number	Object	Comment
01:39:19	MB 55551 74359	Rubbish dump, with discarded scientific equipment including Andersen samplers and 3-channel analyzer.	Exploit
08:42:16	MB 55512 74351	Collection of documents. Collected on 11 November 2003.	Exploit
09:34:01	MB55520 74367	Biological files and documents. Collected on 11 November 2003	Exploit
11:31:00	MB 55653 74336	Unconfirmed Russian smoke generators?	
14:55:00	MB 55545 74016	ISO container, fertilizer and laboratory equipment. Environmental cabinet by Horaius, imported by Kharl Khob.	
16:40:00	MB 55510 74181	Camera Tower	
17:57:00	MB 55457 74006	With exception of Fire Station at this location associated block at the end of the FS and some temporary buildings containing FS stores, all other buildings at complex of Building 151 have been destroyed and are clear. NFA no further action required.	NFA
19:10:07	MB 55371 73980	Ruined barrack buildings vicinity of 151, no equipment. Connect with steps, which lead to top of berm. AA positions.	
20:39:20	MB 55467 73920	Expended shell cases burned in a dump, adjacent water tank, and Fire sta- tion across road. Some other stores buildings at back of complex. Room containing files and neatly arranged records.	Should briefly look at these with a linguist
30:21:00	MB 55608 73719	Camera Tower	
31:08:15	MB 55460 73419	Camera Tower	
32:14:04	MB 55429 73420	Bomb crater, estimated 2,000 lbs Israeli.	
33:05:15	MB 55438 73358	Bomb crater	
33:45:00	MB 55395 73326	Remains of Building 140, no building remains.	
35:40:00	MB 55358 73208	Manhole and cable run, down about 6 feet.	

Team Delta	Tape 1 (continued)		
36:28:08	MB 55299 73129	Electricity pylon, surrounded by scrap metal and shelving adjacent to site of Building 140.	
37:26:00	MB 55247 73070	Metal and building rubble. Junk removed from Tuwaitha bombed building in 1991.	
38:10:00	MB 55010 73054	More piles of junk building rubble.	
39:04:28	MB 54760 73099	Bomb crater, another 2000, explosion caused pinnacle in the middle.	
39:38:03	MB 54728 73132	Camera Tower, identifies boxes in junk yard.	
40:35:00	MB 54865 73413	Number of ruined probable guard shacks.	
41:35:00	MB 54868 73453	Ruined guard shack. Barrack garden.	
42:40:00	MB 55155 73566	Full face respirator. Symbol bent minaret at Mosel indicating G Bin Hyer. Two or three symbol of local manufacture in Mosel.	
	1		
Team Delta	Tape 2		
Tape Reference	MGRS	Object	Comment
00:52:13	MB 54380 73136	Camera Tower	
02:27:29	MB 54272 73283	Possible Smoke Canisters	
03:09:27	MB 54163 73483	Camera Tower	
03:48:01	MB 53981 73832	Camera Tower	
05:02:06	MB 53949 73892	Unknown Structure	
06:44:00	MB 53801 74180	Camera Tower	
08:06:29	MB 53938 74363	Camera Tower	
08:50:00	MB 54233 74636	Camera Tower	
10:25:21	MB 54301 74931	Possible concrete tanks.	

Tape 2 (co		
MB 54476 74866	Camera Tower	
MB 54522 74793	Cluster of buildings in area of Building 115. Collected 11 November 2003.	Exploit
MB 54527 74770	Unused filter system and documents in cluster of buildings in area of Build- ing 115. Collected 11 November 2003.	Exploit
MB 54503 7465?	Adjacent to health center (inside perimeter). Side road blocked with wrecked bus	
MB 54695 74838	First of a cluster of buildings at Building 90 complex.	
MB 54685 74889	Outbuildings at building 90 complex showing manhole cover and high- capacity rectifiers and document.	Exploit
MB 54679 74916	Part of substation complex, showing digging for looters to steal copper cables.	
MB 54692 74925	Substation control room, showing "vynconstruct" equipment. Shot of loot- ers digging to steal cable and water system. Shot of room behind control room and more cable looting.	
MB 54720 74893	Large building at substation, small entrance and large swimming pool type tanks at each end (20 x 6 x 5 deep meters). Sill at Building 90 complex.	
MB 54732 74891	Entry to main building at Building 90 complex. Large hole going down. Evidence of laser, optical, and possible rail gun research. Some documents recovered for CMPC, some video-ed. Shot of jar containing Strontium com- pound.	Exploit. Nuclear and Chemical.
•		•
Tape 3		
MGRS	Object	Comment
MB	Video of rooms in 90 complex main building. Photon optical bench Cam- bridge UK. Photos of laser impact on targets. Faraday cage (large).	
	Electrical control equipment presumed to have come from main building in 90 complex.	
MB 54799	Electrical control equipment presumed to have come from main building in 90 complex. Another part of Alcatel equipment, presumed from main building in 90 complex and possibly linked with previous Alcatel device. Presumed important as the equipment was sandbagged for protection.	
MB 54799 74841	90 complex. Another part of Alcatel equipment, presumed from main building in 90 complex and possibly linked with previous Alcatel device. Presumed impor-	
	90 complex. Another part of Alcatel equipment, presumed from main building in 90 complex and possibly linked with previous Alcatel device. Presumed impor- tant as the equipment was sandbagged for protection.	Optical spec- trometer.
	MB 54476 74866 MB 54522 74793 MB 54527 74770 MB 54503 7465? MB 54695 74889 MB 54685 74916 MB 54692 74925 MB 54720 74893 MB 54732 Tape 3 MGRS	74866Camera TowerMB 54522 74793Cluster of buildings in area of Building 115. Collected 11 November 2003.MB 54527 74770Unused filter system and documents in cluster of buildings in area of Build- ing 115. Collected 11 November 2003.MB 54503 7465?Adjacent to health center (inside perimeter). Side road blocked with wrecked busMB 54695 74838First of a cluster of buildings at Building 90 complex.MB 54685 74889Outbuildings at building 90 complex showing manhole cover and high- capacity rectifiers and document.MB 54679 74916Part of substation complex, showing digging for looters to steal copper cables.MB 54692 74925Substation control room, showing "vynconstruct" equipment. Shot of loot- ers digging to steal cable and water system. Shot of room behind control room and more cable looting.MB 54720 74891Large building at substation, small entrance and large swimming pool type tanks at each end (20 x 6 x 5 deep meters). Sill at Building 90 complex.MB 54732 74891Entry to main building at Building 90 complex. Large hole going down. Evidence of laser, optical, and possible rail gun research. Some documents recovered for CMPC, some video-ed. Shot of jar containing Strontium com- pound.MGRSObjectMGRSObject

Team Delta	Tape 4 (co		
33:10:06	MB 54823 74912	Entered building as continuing part of 90 complex with autoclave (large) and incubator/shaker with UNSCOM label B002236.	
43:15:15	MB54013 74969	Oil fired boiler used for steam generation to power autoclave.	
44:42:24	MB 54840 75003	Camera Tower	
46:14:06	MB 54820 75017	Small building at rear of 90 complex with equipment junk inside. Adja- cent container with more junk and an object, which looked like part of HT equipment.	More detailed examination
51:35:17	MB 55150 74914	Camera Tower	
52:33:27	MB 55268 74721	New building not yet completed.	
	Not readable	New building not yet completed.	
56:24:19	MB 55293 74244	Wrecked buildings on top of berm.	
Team Delta	Tape 4		
Tape Reference	MGRS	Object	Comment
02:56:15	MB 55270 73636	View from berms over Tuwaitha complex.	
05:08:28	MB 54962 73609	View from berms over Tuwaitha complex.	
01:25:15	MB 54418 73191	View from berms over Tuwaitha complex.	
03:03:18	MB 54167 73724	View from berms over Tuwaitha complex.	
07:44:14	MB 55975 75412	Area H Trashed Workshop area.	
11:06:05	MB 55949 75488	Area H Trashed Workshop area.	
13:33:29	MB 56070 75324	Area H Trashed Workshop area.	

Team Alpha	Tape 5		
Tape Reference	MGRS/ Room Number	Object	Comment
00:33:19	MB 54832 74042	Building 189, underground bunker with surrounded by damage. Entrance located on top and descends into the bunker.	System empty NFA.
02:21:08	MB 54839 74060	Building 188, underground emplacement with entrance at the top. UGF completely empty.	NFA.
03:44:13	MB 54816 74043	Water Tower. (No particular building number)	NFA
04:09:08	Not provided	Evaporative Cooling Tower	NFA
04:45:29	MB 54789 74039	Underground structures 190 and 191. Steps going down, not explored.	Better look?(NFA)
05:42:15 08:37:13 09:50:00 15:45:00 17:40:40 21:20:00 26:36:00 29:30:00 42: 46:40:00 48:20:00 51:30 52:13 57:22	MB 54875 74024 1021 1023 1023, 1025 1030, 60, 1003 !, 4, 5, 2018 2006, 2002, 2005 1001, 3 rd LHS. Glove box 1007 Laser Labo- ratory	 Building 12, large brick, two-story structure. Note windows on the bottom floor are barred. Extensive looting throughout with rooms randomly containing what remains of original equipment, chemical containers and chemical waste storage, evidence of film-processing operation, electrical power equipment and devices, work tables and work stations, laboratory glassware, some office furniture, notebooks, binders and files strewn about, and debris. At least, room was designated as a Spectroscopes Laboratory. The south end of Building 12 contained new areas under construction, which contained nothing. Section of Building 12 adjacent to new construction contained much of the same as primary building area. Southwest end of Building 12 contained vacant rooms with new construction, probably never occupied. 44:00:00 Hazard symbol on door. Grey building to south of Building 12. 49:00:00 remote manipulator and room with PVC. 	Some exploita- tion required. Room 5, 2018 No exploit. 2001, 2002, 2004 1001, laser laboratory
Team Alpha	Tape 6		
Tape Reference	MGRS / Room Number	Object	Comment
00:00:13		Complex of buildings number 167	
00:25:11	55010 74429	Two-story brick structure, northernmost building	
01:15:00		Room 4	Exploit

Team Alpha	Tape 6 (continued)		
03:18:00		Room 3	Exploit
05:10:00		Room 11	Exploit
		Room 9	
07:10:00		Room 7 Upstairs binders	Exploit
07:14:00		Room 14 computer media	Exploit
08:00:00		Room 15 / 16 Design of Information systems	Exploit
09:25:00		Room 17	
10:00:00		Room 18 computer media	Exploit
		Room 19	
11:59:00		Room 20 Computer/Maths techniques	Exploit
13:06:00		Room Technical manuals IMB token ring map of Tuwaitha taken back.	Exploit
14:25:00		Eastern building of Complex	Exploit
15:00:00		Western Admin Block piled high with documents.	Exploit
17:35:00		Documents	Exploit
18:20:00		Rabbit warren of offices	Exploit
21:00:00		Agricultural program	
21:20:00		Blueprints.	
26:00:00		Papers and ledger	
26:15:00		Document storage area	Exploit
30:00:00		Last building of 167 Complex	
30:29:00		Pieces of paper on the floor, torn up.	Exploit
32:30:00		Organizational chart	
33:42:00		Ledgers on bookcase.	Exploit
35:35:00	54794 73862	Connex Container large, end of road in section E, underground storage/ Building 192 / 76	Exploit
36:50:01	54605 73502	Boiler House	NFA
38:38:19	54527 73391	Building 72 Transformer station. Electrolyte production of H ₂	NFA

Team Alpha	Tape 7		
Tape Reference	MGRS / Room Number	Object	Comment
00:10:00		Area 41? 1015, 1016 & 1017.	
01:21:115	54870 73969	Group of structures number 38.	Exploit
01:45:16	54942 73935		
02:14:00		Equipment outside.	
04:10:00	54951 73928		
04:45:00		Building 37 Storage Containers. Welded shut.	Exploit
05:05:00		Storage containers 9 feet long.	
06:00:00	54917 73896	Connex Container with soil blocking each end	Open/Exploit
	54930 73770	Building 40, 800 mRem/Hour. Do not enter radiation.	NFA
07:17:15		Correction to count rate. 800–1,000 cpm	
07:35:00	54999 73833	Underground facility Building 200. Radioactive source at far end. 800–1,000 cpm Gamma.	
08:53:00	55018 73846	Building 31 Water-cooling tower. Building destroyed.	NFA
09:30:00	55228 73797	196 underground facility personnel bunker.	NFA
10:16:10	55229 73780	Building 30, completely destroyed.	NFA
10:41	55229 73734	Building 19, completely destroyed.	NFA
11:00:00	55341 73770	Structure 170.	NFA
11:37:20	55099 73809	Building 32 storage buildings.	NFA
12:10:00	55239 74060	Building 168, small, with two rooms. Water filtration system, second room empty.	NFA
Team Beta	Tape 8		
Tape Reference	MGRS / Room Number	Object	Comment
00:00:00	54676 73819	Building 65 & 66 used to be one large building, behind is another building NF not on map, at end of 65.	
01:11:25	54657 73866	Storage Tank writing on blackboard. Building 64	Linguist
01:35:17	54656 73867	Building 64 Storage Tank writing on blackboard.	Linguist

Team Beta	Tape 9		
Tape Reference	MGRS / Room Number	Object	Comment
00:05:00	54931 74297	Building 118 UGF	NFA
03:40:08	54750 74166	Building 187	NFA
06:35:23	54692 74122	Building 14	NFA
08:57:25	54692 74189	Building 186 UGF Entrance blocked	NFA
12:42:27	54661 74215	Bldg 184	NFA
15:31:28	54637 74283	Bldg not on map entrance. Above ground bunker 54639 74288, 54649 74286, 54638 74277, 54631 74286	NFA
18:00:00	54639 74289	Liquid Scintillation analyzer 1600CA Tri-Carb	
18:13:11	54638 74288	North East Corner	
18:34:28	54649 74286	Corner 2	
18:56:26	54638 74276	Corner 3	
19:40:00	54631 74287	Corner 4	
20:08:25	54795 74562	Bldg 194 is in fact not a UGF but is a huge water tank flowing approx 3 m deep.	NFA
22:21:19	54815 74498	Bldg 195 Cylindrical Tank.	
24:02:21	54638 74488	Bldg 171, both entry doors were locked but opened	Exploit
30:19:08	54516 73642	Building 76	NFA
33:16:12	54530 73571	Building 71	NFA
36:11:01	54463 73590	Building 75	Exploit
37:00:00	75/1	Floppy disks some documents	Exploit
38:50:00	75/2	Floppy disks some documents	Exploit
39:50:00	75/3	Blueprint of building	Exploit
41:42:00	75/4	Lead bricks, protecting source? And Filters?	D & E
42:15:00	75/5	Empty room.	
45:41:06	75/9	Few documents.	Exploit
46:45:19	75/11	Few documents.	Exploit
47:41:28	75/12	Few documents.	
48:31:00	75/13		
48:54:00	75/14		
49:15:13	75/16	Upstairs, some documents, box of floppy disks.	Exploit

Team Beta	Tape 10		
Tape Reference	MGRS / Room Number	Object	Comment
00:04:06	55201 73986	UGF Building 197, radiation from wall crack.	Empty, NFA
02:04:14	55247 73892	Building 198, building empty.	Empty, NFA
03:25:26	55118 73792	Building 32 Second Part, 4 trailers side by side	Empty, NFA
Team Beta	Tape 11		
Tape Reference	MGRS / Room Number	Object	Comment
00:00:00	54810 74115	Building 13	
01:00:12	13/1	Some documents.	Exploit.
01:28:03		Device on desk ?	?
01:40:00		Some documents. SAER device.	Exploit.
02:29:12	13/4	Few papers.	Exploit.
03:16:07	13/5	Few papers. Personnel File, photo and disk.	Exploit.
04:20:00		Steam generator-hot air . Ets LEQUEUX sa	
04:45:04	13/6		
05:25:00	13/7		
05:54:00		Contamination Danger Notice. Drum of Ethanol. Lead bricks.	Visit.
06:40:00	13/8		
09:00:28	13/9		
09:56:00		Barrel of Acetone.	
10:46:00	13/10	Stairs down to basement of Building 13.	
12:40:00	13/11	Drawing Board.	
15:00:00		Heat Exchanger, Stainless Steel Tubing.	
16:00:00	13/13	Mono Chloro Di Floro Methane container (Freon).	
17:00:00	O/S 13	X-Ray Fluorescence Spectrometer. VF-320 Shimadzu	
18:05:00	13/14		
19:42:00	13/16		

Team Beta	I and I I (continued)		
20:30:00	13/17		
21:00:00	13/18		
21:33:00	13/19		
22:00:00	13/20	Oven/kiln, notebook.	
23:25:00	13/21		
24:47	Stairs	To roof of 13.	
26:00:00		Access to rest of building denied.	
30:06:00	Stairs	Pile of lead bricks.	
31:50	Room 7 & 8		
00:05:00	55118 73959	Building 24	
01:45:00	24/1 upstairs	Room piled full of equipment spares.	
03:55:00	24/2	Some ledgers and notebooks.	Exploit
04:47:00	24/3	Quantity of documents on bookshelf	Exploit
05:43:00		OSIRIS Certificate.	Exploit
06:00:00	24/4	Documents	Exploit
06:30:00	24/5	Documents	Exploit
07:08:00		Manufacturing Plant for X-ray Sonar High Speed Centrifuge	Exploit
07:23:00	24/6	Documents	Exploit
08:25:00	24/7	More documents and laboratory notebooks.	Exploit
09:19:00	24/8	Documents	Exploit
10:25:00	24/9	Documents	Exploit
11:07:00	24/10	Documents	Exploit
11:33:00	24/11	Documents	Exploit
12:25:0	24/12	Empty	
13:00:00	24/13		
13:44:17	24/14	Quantity of Documents on floor and book case.	Exploit
14:17:00	24/14	Closeup of bookcase and ledgers.	Exploit
15:18:00	24/15		
16:00:00	24/16		
16:39:00	24/17	No outside door to latter. Few documents	

Team Beta	Tape 11 (co	ontinued)	
17:31:00		High Voltage Trigger Type US-4	
17:50:00		Farnell Stabilized Power Supply	
17:59:00	24/18		
19:30:00		Exit building.	
Team Charlie	Tape 12		
Tape Reference	MGRS / Room Number	Object	Comment
00:00:00	55055 74134	Building 7	
00:34:00		SE entry, documents	Exploit
00:40:00	7/1	Documents	Exploit
00:45:00	7/2	Burned out	
00:50:00	7/3	Burned out	
00:58:00	7/4	Documents	Exploit
01:10:00	7/5	Documents and ledgers in bookshelf.	Exploit
01:23:00	7/6	Safe, some papers on the floor.	Exploit
01:25:00	7/7	Documents and ledgers in bookshelf, large quantity.	Exploit
01:50:00	7/8	Safes and documents on floor.	
02:14:00	7/9	Papers on the floor.	Exploit
02:18:00	7/10	Some papers on the floor, binders in bookshelf	Exploit
02:43:00	7/11	Papers on floor.	Exploit
02:46:00	7/12	No documents.	
	7/13	Bathroom.	
02:54:00	7/14	Some papers. En suite facility.	Exploit
03:28:18	7/15	Some papers.	Exploit
03:40:00	7/16		
03:48:00	7/17	Some papers.	Exploit
0404:07	7/18	Papers.	Exploit
04:13:00	7/19	Some ledgers under desk.	Exploit

Team Charlie	Tape 12 (co		
04:30:00	7/20	Papers on floor, ledgers in bookshelf.	Exploit
04:58:00	7/21	Ledgers and papers on floor.	Exploit
05:07:00	7/22	Documents on floor.	Exploit
05:15:08	7/23	Large bookshelf full of ledgers.	Exploit
05:28:00	7/24	Some ledgers behind desk.	Exploit
05:35:00	7/25	Papers on floor.	Exploit
05:48:00	7/26, 27, 28, 29, 30	Staircase, bathroom and burned offices, ash from papers.	Anything read- able?
06:36:00	7/31	Some papers on floor.	Exploit
	7/32 & 33	Restrooms.	
06:50:00		View of burned corridor, facing West.	
07:00:00		One room upstairs, building services and views of roof.	
07:22:24	55096 74081	Building 8	
07:53:03	8/8	First room on the left, papers in entrance hall.	
08:23:11	8/6	Papers on floor.	Exploit
08:55:28	First room	On LHS following Security Barrier, papers.	Exploit
09:03:00	Second	Papers on floor.	
09:07:00	Third	Papers on floor, plus filing cabinet with documents.	Exploit
09:17:00	Fourth	Papers on floor.	Exploit
09:24:07	Fifth	Papers on floor	Exploit
09:36:00	Sixth	Papers on floor.	Exploit
09:44:00	Seventh	Papers on floor.	Exploit
09:50:00	Restrooms		
09:56:00		West end of security area.	
10:16:24		Papers on floor exploit.	Exploit
10:20:00		Last room on LHS, papers on floor, en suite facility. Storage nook full of ledgers.	Exploit
10:44:00		North side of hall way east end of Building 8.	Exploit
11:13:21		Some papers.	Exploit
11:20:03		Some papers on floor.	Exploit
11:28:11		Some papers on floor.	Exploit

Team Charlie	Tape 12 (co	ontinued)	
11:40:05		Large quantity of documents on floor.	Exploit
11:57:00	Next room	Quantity of documents on floor.	Exploit
12:06:02		Filing cabinet with ledgers and documents on floor.	Exploit
12:15:23		Wrecked copier, documents on floor.	Exploit
12:36:08	5	First left after security barrier. Few documents.	Exploit
12:43:04	4	Papers on floor.	Exploit
12:49:00	3	Junk no papers.	
12:58:28	2	Few papers.	Exploit
13:10:17	Next on LHS	Some papers.	Exploit
13:28:21	Last room	Documents.	Exploit
13:40:00	Stairs up to roof	Door to utility area housed in small room on roof.	
14:25:00	55024 74046	Building 181 Door on north side, all doors and windows were fitted with additional security bars.	
15:13:00	1 st on LHS	Papers on floor. Cubicles, papers in back room.	Exploit
16:05:00	2nd	Papers on floor. Filing cabinet full of documents. Large quantity of documents in small room.	Exploit
17:00:00		Views of safes, broken open and empty.	
17:25:00		Building 11, exterior shot of building and associated shed and transmission tower.	NFA
17:40:00		Small building south of Bldg 11, no papers.	NFA
17:57:00	54887 74001	Building 11. Occupied by Security Guards.	NFA
18:41:25		Room off room, some documents, blocked in.	Exploit
18:50:00		Found AK47, called for advice.	
20:00:00	Office / Sub- station	Few documents	Exploit
20:35:26	Diagram	Substation switching system.	
21:00:00		North side of Building 11.	
21:10:00		Missing East end of Building 11.	
22:00:00	Stairs	Leading to small storage room, with racking, no documents.	
22:27:00		Exterior shots of Building 10.	
22:41:11	54918 74045	MGRS of Building 10 and entry wing. Some documents.	Exploit

Team Charlie	Tape 12 (co	ontinued)	
23:00:00		Cryogenic equipment.	
25:44:11		Shot of Unit 25, liquid N2 generator.	
26:10:00		Small office, some documents.	Exploit
26:25:00		Danger Toxic sign.	
27:05:00		Shot of some instructions relating to equipment.	
27:31:28		Restrooms and Room with storage of equipment.	
27:40:00		Liquid helium equipment.	
28:06:12		Shot of BOC TurBOCool helium Liquifier.	
28:29:22		Building 24 adjacent to OSIRAC bombed by Israeli's	
28:53:13	55115 73961	Building 24 MGRS, followed by shots of entrance and foyer.	
	24/1	Odd papers on floor	Exploit?
29:49:21		Management notice in Arabic.	Translate
		Few binders on desks and floor of rooms viewed.	Exploit
30:34:15	24/8	No documents.	
30:50:00	24/9	Few documents.	
31:22:00	1 st of east end.	Binders on floor.	Exploit
31:33:00	2nd	Some drawings.	Exploit
31:48:00		Drawing of Central Workshop by Bilcon Projects, Ltd., England 0226 71262.	
32:00:00		Drawings of administration building.	Exploit
32:25:00	24/25	No papers.	
33:00:00	Un-num rooms	Some binders, Arabic notes on drafting table.	Exploit
33:25:00		Restrooms, followed by stairs leading down.	
33:55:00		Archive of documents Vast quantity.	Exploit
34:15:11		Basement facing east. Numbered pumps, electrical services and HVAC system.	
35:41:00		Subbasement, 40 m long, flooded to 2 feet.	Further exami- nation?
36:38:00		Blocked off end of building, bomb damage, not entered.	
37:20:00		Small building to east of 24, serious damage.	
37:31:12	55150 73916	MGRS of little building behind 24. Serious bomb damage.	NFA

Team Charlie	Tape 12 (co	ntinued)	
37:44:00		Elevator shaft into subbasement.	
38:14:09		Spiral staircase leading down.	
38:25:00		Shots of destroyed building.	
39:57:00		Buildings 22 and 23.	NFA
40:00:00	55123 73843	MGRS for small Building 23.	
40:35:00		Both parts of Building 22	
41:25:00		Shots of hot cells and remains of manipulators.	
		Shots of bombed out sections of Bldg 22.	
		Building dangerous, no further exploration.	
		Shot of access way between 22 and 23, is this remains of pneumatic rabbit system?	NFA
43:00:00	55231 73853	MGRS of between Buildings 22 and 23.	
44:30:00	55192 73874	Large underground basement. NW corner. Grids of all four corners.	
44:40:00	55221 73892	North East Corner.	NFA
44:56:04	55242 73854	South East Corner.	NFA
45:05:00	55214 73839	South West Corner	NFA
45:10:00	55242 73842	SW corner of building with substation station facility	NFA
45:24:00		Utility/power control or supply building.	
46:41:06		SE corner of building 34.	NFA
49:11:04	Various rooms.	East side of building, high indicated count rate, sacks of Portland cement.	
49:58:09		Bottle of Halon 1301	
50:07:0	55094 73719	Building 34, tin shed full of scrap metal, cable, etc.	

This page intentionally left blank.

Annex D Results of Mission Survey of Tuwaitha Nuclear Complex Over the Period 20-22 November

Results of mission survey of Tuwaitha Nuclear Complex over the period 20-22 November 2003.

	•			_								L																	_]	W
•	r			3-ML	unknom Redavn	0.44	ERAVO	Triaged	CELTA	UGF, 5m ± 27m; either doesn't exist or can't find entrance, does	contain pipes under manholes and cement stabs	Large 145K, DRM 10 Large Task: CHARLIE		Small Task; DELTA	Small Task, DELTA	Large Task Caution, DELTA		DTRA		ALPHA	Triaged					Large Task NUC; DELTA										UGF, Fladioactive waste storage, 10.5m 35, was 210 and 36	ALTHA				ERAVO	CELTA			Tei soud	③ ④ ④ ③ ③ ③ ③ ③ ③ ③ ③ ③ ③ ○ 22 AM
	8	nter		STATUS	Clear	Clau	Clear	Clear	Clear	- Marrielland	Questionatie	Clear	Hazard	Clear	Clear	Clear	Clase	Clear	Clear	Clear	Clear	Destroyed	Destroyed	Destroyed	Destroyed	Clear	Destroyed	Destroyed	Destroyed	Destroyed	Destroyed	Clear	Destroyed	Hazard		Hazard	Clear	Hazard	Hazard	Clear	Pending	Clear	Clear	Clear	Dantina	
d	L	Tuwaitha Nuclear Research Center	Building Numbers	PERCEIVED FUNCTIONALITY	unkinoim Personal control office	Part are not and with a	Administrative building	Biology/agriculturalIaboratory and headquarters	Environmental research laboratory		Personnet bunker	I raining office External relations department	Chemical analyses and radiochemical laboratories	Cherrical analyses laboratory	Telephone communications and power supply	Engineering workshop and neutron generator	Fleetric algouar cub-ctation	Isotose production labor alory	Mechanical production workshop for IRT	Mechanical production workshop and water supply	Agricultural and biological research labor atories	Open air pool (Exposed basement)	Dilinee and stores	Hot laboratory LAMA	Former site of the engineering hal	Tarruz-2 zero power reactor	Store Chambral alasaina unat shon	Curating contraction of the second se	Ciravans	Chemical cleaning work shop and caravan	Chemical cleaning workshop	Warehouse and Empty Trailers	Offices	Offices and stores Ruficactive warte ite atmost station (RMTS)	(Atowe ground Earth mounded bunker	Training offices and storage welded shut Training offices and table accides	Permanent solid vaste storage	Waste storage for IRT	Nuclear instrument calibration and waste storage	Technical library and conference rooms	Technical library and conference rooms	HVAC for library and conference rooms	w aver treatment W ater treatment	Distortion with the relation and serior the device the serior	
Lata minoow meip	ш	F		AIGHS	micrown 265 MB 85197420	200 MID 6510074104	385 MB 5510774361	385 MB 5494874351	385 MB 5496674240	VALUE AND DESCRIPTION OF A LODG	385 MB 0003/41/3	385 MB 5504074073	385 MB 5490174107	385 MB 5490074018	383 MB 5432874040	385 MB 5484474007	2005 MIR 5467774108	385 MB 5470574208	385 MB 5482774273	385 MB 5475274252	385 MB 5484674329	385 MB 5524473728	385 MB 002/01/1/3	385 MB 65M273840	385 MB 5524473839	385 MB 6510673929	383 MB 0503674009 382 MB 0503674009	292 MB 5502174006	385 MB 6496471996	38S MB 5502173951	385 MB 5500273940	385 MB 6506671818	385 MB 551073729	285 MB 050657374		385 MB 6600273840	365 MB 04306735040	305 MB 6496473816	395 MB 6490873752	385 MB 6479773930	385 MB 5489474584	385 MB 5487574628	385 MB 5490374539	385 MB 5482874462	700 NAD KAORTATOR	crel - 45
1001	0			SIME	unknown 201000 2041 0440400 76F	211220 SEAL MA 240 442 100 40E		301225.56N 0443059.77E	331221.96N 0443100.48E			331216.56N 0443102.35E	3312/7.64/N 8443057.54E			3312W.46N 0443055.79E		331220 88N 0443050.40E	301223.04N 0443055.08E	301222.32N 0443052.20E	301224.84N 0443055.79E	331205.40N 044311128E	007/3 331206.04N 044310.06E		5573 331209.00N 044311128E	5573 3312 IL 66N 0443105.68E	0573 3312M.40N 0443105.52E 8673 3312M.40N 0443105.52E				331212 24N 044310192E		331205.40N 0443106.24E	331204.68N 0443104.44E		331203.00N 0443101.92E	3312 IL 16N 0443800 12E	301208-28N 0443100.48E	321206.12N 0443058.31E	3312% 88N 044 3054.00E	301233.12N 0443057.60E	331234.56N 0443056.88E	331234.92N 0443057.96E	331229.16N 0443055.06E	BUT ABOCKANIAND TOCHO	>> X Mirrosoft Excel - 45
ar vew	D V			OLD NUMBER GRID REF	0 0 0 0 UN		5574	4 5474 33	5474			8 1224 30			1242	12 6474 33 54 24 33	5474	5474	5474	5474	5474								6473	6223	5473 5473	6223	6223	34 00/3 31		6273	242		6473	5473	42 5474 33	5474	44 5474 33 46 6474 33	1242	47 R474	
		-	8	3 BLD M	+ 4		~	00	0	5	2:	= 2	13	×	82	92 C	- 9	2 22	8	21	22	8	28	195	27	28	83 8	3	32	33	8 8	3 8	37	1 1 1	:	Q	• •	: 7	11	45	46	4	48	200	R1	Start .

× 6	•			Г			I				8L.																Γ															Ē					ľ	9:25 AM
•	г			TYPE								Pending for Bio Team; CHAPLIE Clear	by MAJ Aceardi		5						Required Task: per Accardi, no doos												MAU Accords either he suily looted or never finished MAU Accords either he suils looted or never finished	Her Port which		ш										2		<u>\$</u> €
						Triaged	Trianad	Triaced	ERAVO	Triaged	ALPHA	Fending for Bio	Triaged: Cleared by MAU Accardi	CHARLE	Under construction	Trisced: ALPHA	Triaced BRAVO			CELTA	Fequired Task: p				Tringed	Trisnad					CHAPLE		MAJ Accardit eit	MAU Accardi: Does not erist		Triaged, CHAFLIE				ERAVO	MAV Accard		GOLF			Griffin during recon		
	G	ter		STATUS	Clear	Pending	Pandino	Pendino	Clear	Pending	Clear	Clear	Pending	Clear	Class	Clear	Clear	Clear	Clear	Clear	Clear	Destroyed	Destroyed	Hazard	Destroyed	Destroyed	Destroyed	Clear	Destrojed	Destroyed	Clear	Clear	Clear	Clear	Destroyed	Clear	Clear	Destroyed	Destroyed	Clear	Clear	Destroyed	Clear	Hazard	MA	Clear	PWA.	. P
Help	L	Tuwaitha Nuclear Research Center	Building Numbers	PERCEIVED FUNCTIONALITY		Esology animal housing and agricultural laboratories	EPODO 304 Aground a Lacol Store E Greethouse and awind that I thouse include	Laboratory for cereal and crop research, machine repair	Soil workshops and stores	Agricultural and biological laboratory	Chemical production facility	Lightning arrestor, UG storage, and AG/BIOIab	Arimal housing	Microbiological laboratory	ELINII ONTRETHAIL FERANCIN ORDANIZTERK HADOLATORY	Health physics building	Pharmaceutical medical kit and diagnostic production	Incinerator	Sevage station	Cold material testing laboratories	Radiological waste process building	Liquid chemical waste treatment	Offices and training building	Deionized water production units	Utilities and storage	Un storage Elaotrohiko al seodustion of hinteoraa	Transformer sub-station	Transformer sub-station	Workshop for fuel fabrication and material testing	Electrical power sub-station	Building with substantial laboratory	Cathen	Italies underland	Phasiss labor ators	Nuclear physics labor avories	Screw worm research and medical laboratory	Electronies design departments Litilities	Chemistry and chemical engineering research	Chemical research laboratories	Engineering design and mapping center	Medical center Becastion center and officers of the	Curavani on ser and or out of a	Physics building and laser center	Site C, Baghdad yelowcake storage area	Military facility	SA-2 Mille any Facility	Military Facility	t1 - Microsoft W
Data Window <u>H</u> e	ш	F		SHOW	385 MB 5482874462	385 MB 5481874395	2005 Mill 54 76274407	385 MB 5470674352	385 MB 5467874429	385 MB 5466074418	38S MB 5464174407	385 MB 5462374485	385 MB 5457674495	385 MB 5453974474	300 MB 0400014331	365 MB 5462274330	383 MB 5425574232	385 MB 6442674131	39S MB 5443574087	38S MB 544S74009	38S MB 5464873875	385 MB 5466671798	385 MB 5462973820	385 MB 5458273731	365 MB 04030/1360	200 ME 545073487	385 MB M52573565	385 MB 5451573368	385 MB 5447873421	385 MB 5442373510	305 MB 544173500	395 MB 6450773632	385 MB 5434073839 765 MB 5434073677	385 MB 5422873833	385 MB 5422973922	385 MB 5426574043	385 MB 5417474M3	385 MB 5401574133	385 MB 5400674166	385 MB 5442774553	365 MB 0452174565	385 MB 5453074674	395 MB 5474674906	385 MB 6654172126	38S MB 5802973383	385 MB 57H872267	385 MB 5367272505	
Format Tools D	0			SIND	1223. IAN 8443055.04E	1227.00N 0443054.72E	1227_28M 0442062 58F	5474 331225 55N 0443050 40E	331228.08N 0443049.3tE			331229.88N 0443047.ME	301230.24N 0443045.36E	331229.52N 0443043.92E	3212227 2010 04420142 84F	331224.84N 0443047.6E	301221.66N 0443034.56E		301215.92N 0443039.96E				331208.28N 0443047.52E	331205.40N 0443045.73E	331103.02N 844.9045.09E	54.73 301157,45M 8443046,10E	5473 331200.00N 0443043 56E	5473 331154,24N 6443043,26E	5473 331155.32N 6443041.75E	331158.2eN 6443039.66E	331200.72N 0443040.32E		331210.80N 0443036.36E		3012/L/5/2N 044:3032.04E	331215.44N 8443034.2E	331218 72N 644 3029 88E		5474 331219.44N 0443023.40E	331232.04N 0443039.60E	331232.40N 0443043.20E			30110-56N 044/320168E	331154.60N 0443258.92E	331118.24N 044.3225.08E	331125.44N 0443010.80E	Microsoft Excel - 45
dit <u>Vi</u> ew Insert	0			NUMBER GRID_ PEF			49 54.74 301227.36M			5474	5474	6474		140		1242	+2+2	5474	5474	6474	5473	2249	245	23	240	70 5472 201				6449	6470	6473	70 6473 371	6473	6413	5474		5374	5474	1242	00 5424 201	5474	6474	22.59	6773		5372	* 🖸 🖓 🖉 🕅
📕 File Edit	٩		2	3 BLD NUN	8 1	19	20	2 -	10	9	R	8	02 0	8.	- 0	1 17		192	58	0	27	22	2		7 5	7 4	. 10	9	2	æ	P	2		1 22	Z	8 8	8 5	. 99	22	2.		1 57		10	90	97		Start

Results of mission survey of Tuwaitha Nuclear Complex over the period 20-22 November 2003. (continued)

× 60 I	4																																																9:27 AM	
	н			TYPE									1194 CHARLIE																																				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
								COL	our cour	- COL	COLE	COLE	(Pumo out?) was 103 and	GOUF	GOUF	GOUF	COLF	SOL	2001	2001	-000		cot.	GOLF	~~~~		UGF, 5m x 27m	ALPHA			COLF	COLF	GOUF	- ODE	GOLF	GOLF	GOUF	GOLF	GOLF	-	GOUF	GOUF	COL	COL		GOLF; Pile of rubble	Griffin during recon	Griffin during recon		
	8	ter		STATUS	N/A	AUA	MA	Clear	Clear	Clear	Clear	Cleve	Clear	Clear	Clear	Clear	Clear	Clear	Pending	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Class	Clear	Clear	Clear	Clear	Clear	Destroyed	Clear	Clear	Clear	Clear	MA	Destroyed	Clear	Clear	- [P]
Help	L	Tuwaitha Nuclear Research Center	Building Numbers					Millary facility	Military Lacing	Military teoming	Miller und Locality	Mile on Could a	transay recimy Underpround water tank	Power transformer station	Power transformer station	W arer treatment and pumping Lacility	EMIS burial site	Air defense site					Althamath bio-pescoloes providenced and	Environmental vorschop	Arnez for outure of plants and plant tissue	Economic entomotion and actilied microbiolose laboratore	Personnel bunker	Personnel bunker	Animal pens and equipment storage		Guestiouse	Unknown possitie guard facility	Unknown	Main wate and mused facilities	Unknown possible militaru facilitu	Unknown possible electrical maintenance	Transportation department	Uthown -	Channel Internet		Unknown	Unknown	Unknown	Unknown Unknown	Unknown possible varehouse				Document1 - Microsoft W GMicrosoft PowerPoint - [P	
Data Window <u>H</u>	ш	F		SHOW	383 MB 5367272505	385 MB 5686575972	385 MB 5286475092	38S MB 5606872771	385 MB 551275447	0022/18100 SIM 585	10767 10000 GM 000	200 MID 000011433	385 MB 5482874595	385 MB 5664474287	385 MB 5573974003	385 MB 539(97522)	385 MB 5366174002	383 MB 5718474030	385 MB 5755074660	385 MB 5753375060	200 MILLING SIM S80	385 MB 55/4/19835	1006/07970 SIMI COS	385 MB 5454974774	385 MB 5495774273	385 MB 5488374273	385 MB 5492974295	385 MB 5464074285	382 MB (418474288)	385 MB 5428774309	383 MB 5353175089	385 MB 5440776149	395 MB 6577475699	205 MB 76045/67	385 MB 5626374400	385 MB 5640574998	385 MB 5570875434	385 MB 5600775621	385 MB 5520575547 365 MB 544.476766	38S MB 5540373983	38S MB 5364374190	385 MB 5329074491	365 MB 5423974919	385 MB 64267302	395 MB 5341172440	38S MB 555273483	38S MB 5692572335	385 MB 5728072599		
Insert Format Icols D	0			EF DMS		6675 301319.48N 04432H.26E	301249.32N	5672 301134.44N 8443144.04E		2012 34116-06N 0443103 12E		100.122140	331233 48	5674 331223.75N 0443205.28E	3312 N.400	331253.64N	3312 M.04N		331236.00N			00/0 341315 80N 0443130 3/F	511245.947IV	54.74 301228.24N 0443040.00E		5474 301223.04N 0443057.24E	5474 331223.75N 0443059.04E	5474 331223.40N 0443047.88E	5474 331223,40N 0443030,23E	5474 331224.12N 6443034.21E				5774 20142 04M 044 204 1856		331246.80N		331306.96N	0575 331304.44N 0443109.48E #478 311304.44N 0443109.48E	331213.64N	331220.16N		331243.32N	5473 3004554N 0443020.69E	31123.2MV	5573 30057,44N 6443122.08E	5672 331120 40N 0443218.44E	5772 301129.04N 0443230.12E	S * Microsoft Excel - 45	
Edit View	A C			BLD_NUMBER GRID_REI		36 36				60 000 60 000				104 56	105 55					110 57					116 54				120 54				124 55						131 55					138 54				M2 57		
		-	5	_	8	8	00	101	201	2	5	200	107	108	103	110	E	15	113	2	6	8	/	81	120	121	122	123	124	125	126	127	128	120	131	132	133	134	135	137	138	139	94	142	143	14.4	145	146	Start	

Results of mission survey of Tuwaitha Nuclear Complex over the period 20-22 November 2003. (continued)

Ľ	ų															_	86																			١										1				5	-
								ſ														-																												0-31 AM	1010
																																												mingt	mhgt		The second secon	thet	her		
I				Jak 1		Contraction of the contraction o	cuaneste la padacoo " unon					GOUF	GOLF		GOLF	UGE: 22m = 40m = 3m hot	GOLF	GOUF	COL	COLF	COLF	GOLF	GOUF	GOLF	GOLF	Number of Dis 27. At DUA	Vest end or tag or; ALFTIA	GOUF	ALPHA	GOLF		UGE Bio Team CHARLE		COLF	GOLF	GOLF	COLF COLF	COLF	GOUF		ALPHA, MAJ Accard	GOLF: occupied be sounders	UGF, 27m = 5m	UGF, Vater/Fuel storage, 8.5mDIA 3m hgt	UGF, WateriFuel storage, 8.5mDIA 3m hgt	UGF, Storage, 5m = 27m	UGF, WaterFuel storage, TimUIA 3m hyt LIGE V unificial storage famDiA 3m hys	UGF WaterFuel storage 6mDIA 3m het	UGF, WateriFuel storage, 6mDIA 3m higt		
		er		eratife	Chan a	Darding	r enang		AU1	MA	MA	Clear	Clear	MAA.	Class	Hazard	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Destroyed	Clear	Clear	Clear	Class	Clear	Clear	AWA.	Clear	Clear	Clear	Clear	Clear	Clear	Clau	Clear	Clear	LD	1
-		Tuwaitha Nuclear Research Center	Building Numbers	PERCEIVED FIME TOWALTY	A solo da a la seconda se				Unknown		Urknown									Urknown possible storage bunker	Unknown	Urknownpossible agriculturalresearch	_	Unknown possible dump site	Urknown	Contraction	Contrers contrianter But ath matter to alifered		Unknown possible computer science center			Society and matter purmoance Small underground storescom associated with hids 54		File station burial site	Burial site	Burial site	Shurmown stores Second we out and facility			Terripor ary fivel storage, questionable location		Large contract octivante		Above ground Earth mounded bu	Above ground Earth mounded bunker		Above ground Earth mounded burk er Obove serviced Earth mounded burk er			Document 1 - Microsoft W Microsoft DowerPoint - Ip	UNA TATA TARANA INT TARA TARA TARA TARA TARA TARA TARA TA
-	Ľ	F		AUGR	ADD LED STOCKTOR	100 MID 10200 1000	NOO NID RTANDOOD	2005 Mail 0/4/24/24/24	385 MB 579637318	38S MB 5746973175	385 MB 5760872908	385 MB 5667073689	385 MB 5507573430	265 MB 5200671506	285 MR 6546071906	385 MB 555 874547	385 MB 5556474447	385 MB 5522974649	385 MB 5536874648	383 MB 5561975269	385 MB 6646375541	205 MB 6552275501	388 MB 6552475967	38S MB 5403175519	385 MB 5434176016	305 MB MUS MI3/43/0	2007 101 242 DAY 2007	385 MB 5384471325	385 MB 5505174383	385 MB 5522774050	385 MB 5485273608	200 MB 5466374546	360 MB (500673095	385 MB 6519473074	38S MB 6425075108	385 MB 5473875316 200 AuD FEORYPEAN	285 MB (0301/04/1	385 MB 5317473516	385 MB 5663574243	385 MB 5820575201	385 MB 5459574541	385 MB 5452274807	365 MB 5464074219	383 MB 546777485	385 MB 5469674152	385 MB 6476274141	385 MB 54844 74063 200 MB 54844 74063	385 MB 5478974030	38S MB 5475874019		
-				DAAG	TO DESCRIPTION OF THE OWNER OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER		THE PROPERTY OF THE PROPERTY O	2111/0 DAN 044/2/0 24	5873 331145.96N 8443256.40E		301139.12N 044:242.72E	331204.32N 0443206.36E	301155.64N 0443104.81E				5574 331228.80N 0443123.52E	5574 331235,28N 044310,56E	0574 331235.28N 044316.68E	301276.16N 0443133.24E	5675 331304.44N 0443158.08E		9575 331318.12N 044312172E	331303.36N 0443024.12E	331319.56N 0443036.00E	301240.//2N 04430/28.08E	201246 72MI 0443056 64F	331152.00N 0443017.28E		331215.84N 0443110.56E	331201.44N 0443056.16E	3012/00.04/N 044/3048.96E	331210.89N 0443105.16E	301144.16N 0442109.49E	331250.04N 0443034.21E	331256.88N 044305148E	331300.46N 0443136.26E			301253.64N 0443305.40E		331240.32N 0443043.20E	331221.24N 0443047.88E				371215.20N 044 3055.7%E		3312M.76N 0443054.00E	>> Microsoft Eurol - 45	
-				AII MARER CALL REF	- ALAN	2110 241	100 001 011			M6 5773 3		N8 5673 3			66.72	1224	153 5574 3			156 5575 3	157 5676 3	159 5576 3	8676	8475		2 440 791	1234	5373	5574	5274	215	121 2424 2	5474	6223	5475	175 54.75 3 ere seve	0700 8676	5373	5674	5875	2.45	5 42 49 1923 1924	4240		5474	5474	1928 24/4 3 1928 194/4 3	5474	5474	StarClick here to hearin	
			2	070		1	100		691	120	121	152	122	154		156	191	108	10.9	16:0	161	162	183	164	12	100	100	53	0/1	121	221	124	9/21	9/1	123	178		181	182	18:3	184	501	187	884	664	190	191		194	Staffick	und have b

Results of mission survey of Tuwaitha Nuclear Complex over the period 20-22 November 2003. (continued)

× ED -	•																			
	н			TYPE	UGF, WateriFuel storage, 6mDIA 3m higt	UGF, Storage, 8m # 8m # 4m hgt	UGF, Storage, 22m = 20m, GOLF	Closest building is 192 and 76: Unlocated by Accardi	UGF, Confirmed water storage, 13m DIA 3m het	UGF. WaterFuel storage. 6mDIA 3m hpt	UGF, WateriFuel storage, 6mDIA 3m hpt	UGF, WateriFuel storage, 6mDIA 3m hpt	UGF, 60m ± 45m		UGF, Waste water, 5.5m DIA 3m hgt	UGF identified by DTRA as possible small generator bidg	UGF,	uor,	uor,	UGF, under building, storage, BPAVO
	9	er		STATUS	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Clear
٥	4	Tuwaitha Nuclear Research Center	Building Numbers	PERCEIVED FUNCTIONALITY	Above ground Earth mounded bunker	Above ground Earth mounded Personnel bunker	Above ground storage burker	Connex container	Above ground Earth mounded bunk er	Above ground Earth mounded Personnel bunker or storage	Above ground Earth mounded Personnel banker or storage	Above ground Earth mounded Personnel banker or storage	Underground facility	Boilet house	Above ground Earth mounded bunker	Possible above ground Earth mounded bunker	Below ground concrete covered hunker between 55 and 54	Large before ground concrete covered banker	Underground facility under building 24	MB 6442774553 Underground facility under building 86
Data Window Help	в	μ		NGRS	383 MB 5473874019	305 MB 5450773675	395 MB 6376073602	385 MB 5475471862	385 MB 5480974473	385 MB 5521673795	38S MB 5519873995	385 MB 5525473895	385 MB 5516173950	385 MB 5460573502	38S MB 5449174131	38S MB 5416474110	385 MB 5458574474	365 MB 5521673661	385 MB 7513373939	385 MB 5442774553
Insert Format Iools D	0			SIND	5474 3312M.76N 8443054.08E	5474 331203.60N 0443042.84E	5378 331201.09N 84430H.76E	5473 331209.72N 0443054.00E	331229.52N 0443054.36E	5573 331207.56N 0443110.20E	5573 3312M.04N 8443109.48E	5573 331210.89N 044311164E	5573 331212.66N 0443108.04E	5473 331157.84N 8443046.79E	5474 301218.36N 6443042.12E	5474 3312/P.64N 0443029.52E	5474 331229.52N 0443046.08E	0573 331209.72N 0443110.20E	0573 331212.24N 0443106.36E	5474 301202.04N 0443009.60E
v Insert	U			RID REF	+2+2	5474	6378	6473	5474 3	6233	6223	6233	6223	6249	5474	5474	\$249	6299	6230	5474

Results of mission survey of Tuwaitha Nuclear Complex over the period 20-22 November 2003. (continued)

This page intentionally left blank.