

- additive tree structure, 10-32
  - ADDTREE, 10-66
  - EXTREE, 10-38
  - four point condition, 10-38
  - R, 10-69
- ADDTREE, 10-32, 10-66, 10-69
- addtree
  - R, 10-77
- adjusted  $R^2$ , 8-7
- ALSCAL, 10-63
- ANCOVA, 9-1
  - assumptions, 9-5
  - example, 9-7
  - MANOVA syntax, 9-11
  - propensity scores, 9-26
- ANOVA
  - assumptions, 3-11, 4-8
    - paired t test, 5-28
    - random effects, 5-6
    - repeated measures, 5-28
  - Bonferroni, 3-8
  - coding, 4-59
  - contrasts, 3-1
  - degrees of freedom, 2-7
  - factorial, 4-1, 4-8
  - fixed effects, 2-1
  - interaction, 4-17
  - latin square, 4-6
  - multiple comparisons, 3-7, 4-12
  - multivariate, 5-31
  - nested designs, 5-14
  - omnibus test, 2-10
  - one way, 2-1
  - percent variance, 2-12
  - plots, 4-18
  - power, 2-10
  - random effects, 5-5, 5-7
  - randomized block, 4-2
  - regression, 8-19
  - repeated measures, 5-19, 12-1
  - residual, 2-8
  - simple interaction effects, 5-46
  - simple main effects, 5-46
  - source table
    - latin square, 4-37
    - one way, 2-7
    - randomized block, 4-4
  - structural model
    - factorial, 4-1, 4-8
    - latin square, 4-7
    - one way, 2-3
    - randomized block, 4-4
    - repeated measures, 5-23
  - unequal sample size, 5-2
  - variance decomposition
    - factorial, 4-1, 4-8
    - latin square, 4-7
    - one way, 2-5
    - randomized block, 4-4
- assumptions
  - ANCOVA, 9-5
  - ANOVA, 3-11
  - boxplots, 2-14, 2-18
  - checking, 3-11
  - equal variance, 2-14
  - factorial ANOVA, 4-8
  - Hartley test, 1-16
  - interaction & transformations, 4-27
  - latin square design, 4-7
  - Levene test, 1-16
  - measurement issues, 1-29
  - normality, 2-19
    - normal-normal plot, 2-19
    - quantile-quantile plot, 2-19
  - paired t test, 5-28
  - PCA, 11-55
  - random effects model, 5-6
  - randomized block design, 4-7

- regression, 6-20
- repeated measures, 5-28
  - compound symmetry, 5-29
  - sphericity, 5-29, 5-32
- residuals, 7-1
- spread and level, 2-17
- t test, 1-13
- transformations, 2-15
- violations, 1-19
- autoencoder, 11-85
- basic definitions, 1-3
- big picture, 9-15
- binary data, 9-16
- biplot, 10-53, 11-3
- bivariate normal, 6-1
- bonehead, 3-9
- Bonferroni, 3-8
- Box & Cox transformation, 2-18
- boxplots, 1-14, 2-14, 2-18
- canonical correlation, 12-22
  - iterative technique, 12-29
  - nonlinear, 12-34
- CART, 10-53
  - R, 10-79
- centering, 8-16
- central limit theorem, 1-4
- classification and regression tree, 10-53
- cluster
  - classification and tree, 10-53
  - mixture models, 10-62
- coding factorial ANOVA, 4-59
- communalities, 11-47
- compound symmetry, 5-29
- confidence interval, 1-7
- constant variance assumption
  - regression, 7-6
- contrast coding, 8-29
- contrasts, 3-1
  - Bonferroni, 3-8
  - correlations, 6-12
  - effect size, 4-15
  - example, 3-32
  - factorial ANOVA, 4-13
  - general method, 12-1
  - multiplicity problem, 3-35
  - orthogonality, 3-3
  - polynomial contrasts, 3-5
  - power, 3-14
  - Scheffe test, 3-20
  - simple interaction effects, 5-46
  - simple main effects, 5-46
  - sum of squares, 3-5
  - uniqueness, 3-38
- Cook's D, 7-12
- corner inequality, 10-49
- correction for attenuation, 13-11
- correlation
  - contrasts, 6-12
- correlation coefficient, 6-1, 6-6
  - hypothesis test, 6-7
  - nonparametric, 6-13
- Correspondence Analysis, 10-52
- covariance, 6-1
- covariance algebra, 13-1
- Cronbach's  $\alpha$ , 13-13
- deep thoughts, 9-30
- degrees of freedom
  - ANOVA, 2-7
- diagonal matrix, 11-81
- dichotomization, 8-35
- dot product, 11-73
- dummy coding, 8-19
- Duncan's test, 3-22
- effect size
  - contrasts, 4-15

- effects coding, 8-19
- eigenvalue, 11-83
- eigenvalues, 11-17
- eigenvector, 11-83
- eigenvectors, 11-17
- excel
  - F value, 2-9
  - t value, 1-6
- expected mean square
  - factorial, 4-26
  - one way ANOVA, 2-8
  - random effects model, 5-6
  - repeated measures, 5-23
- experimental approach, 5-2
- exploratory data analysis, 1-14
- EXTREE, 10-38
  
- F distribution, 2-9
- factor analysis, 11-63
  - diagonal, 11-65
  - matrix input, 11-70
  - reliability, 11-65
  - SEM, 13-46
- factor scores, 11-33
- factorial ANOVA, 4-1, 4-8
  - interaction, 4-17
  - R, 4-58
  - simple interaction effect, 5-46
  - simple main effect, 5-46
- factorial design
  - regression, 8-30
- false discover rate, 3-23
- Fisher r-to-Z, 6-9
- Fisher's LSD test, 3-22
- Fisher's r-to-Z transformation, 6-7
- flow chart, 3-24
- four point condition, 10-38
  
- generalized additive model, 9-30
- generalized linear model, 9-29
  
- GFI, 13-48
- Greenhouse and Geisser, 5-31
  
- Hartley test, 1-16
- hierarchical approach, 5-2
- hierarchical clustering, 10-39
  - ultrametric condition, 10-39
- Huyndt and Feldt, 5-31
  
- ICA, 11-58
- identity matrix, 11-81
- increment in  $R^2$ , 7-21, 8-34
- INDSCAL, 10-27, 10-63
- indscal
  - R, 10-73
- Instrumental Variables, 13-28
- interaction, 4-17
  - regressions, 8-14
- intercept, 6-14
  - hypothesis test, 6-19
- interquartile range, 1-4
- IQR, 1-4
  
- k-means clustering
  - SPSS, 10-49
- kludge, 6-32
- kmeans clustering
  - R, 10-51
- Kruskal-Wallis test, 3-12
  
- Lasso, 11-48
- latin square, 4-6
  - coding data, 4-37
  - source table, 4-37
  - structural model, 4-7
  - variance decomposition, 4-7
- least squares, 6-15
- Levene test, 1-16
- linear algebra, 11-72
  - diagonal matrix, 11-81
  - eigenvalue, 11-83

- eigenvalues, 11-17
- eigenvector, 11-83
- eigenvectors, 11-17
- matrix, 11-73
- matrix inverse, 11-76
- projection, 11-79
- rotation, 11-83
- spectral decomposition, 11-19, 11-84
- transposition, 11-76
- vector, 11-72
- logistic regression, 9-16
  - examples, 9-22
  - propensity scores, 9-26
- Mann-Whitney U test, 1-21
- MANOVA, 12-5
  - syntax, 12-37
- matrix, 11-73
  - diagonal, 11-81
  - eigenvalue, 11-83
  - eigenvector, 11-83
  - identity, 11-81
  - projection, 11-79
  - rotation, 11-83
  - spectral decomposition, 11-84
  - symmetric, 11-81
- matrix input into SPSS, 11-20
- matrix inverse, 11-76
- McClelland & Judd, 8-18
- MDS
  - R, 10-69
- means, 1-3
  - plots, 4-18
- measurement issues, 1-29
- median, 1-3
- median split, 8-35
- Mediation, 13-35
- metric axioms, 10-9
- Minkowski distance metric, 10-11
- missing value code, 6-31
- misspecified model, 9-2
- mixture models, 10-62
- monotonic regression, 10-15
- multicollinearity, 8-8, 8-16
  - example, 8-9
  - remedial measures, 8-14
  - SPSS syntax
    - zpp, 8-13
- multidimensional unfolding
  - model, 11-13
- multidimensional scaling, 10-1
  - ALSCAL, 10-63
  - corner inequality, 10-49
  - INDSCAL, 10-27, 10-63
  - metric axioms, 10-9
  - Minkowski distance metric, 10-11
  - monotonic regression, 10-15
  - rotation, 10-22
  - stress, 10-13
- multidimensional unfolding, 11-9
- multilevel model, 5-44
- multiple comparisons, 3-7
  - Bonferroni, 3-8
  - contrasts, 3-35
  - factorial, 4-12
  - flow chart, 3-24
  - post hoc comparisons, 3-16
  - snooping, 3-16
- multiple regression, 7-18
- Multivariate ANOVA, 12-5
- multivariate ANOVA, 5-31
- nested designs, 5-14
- Newman-Keuls test, 3-20
- nonlinear canonical correlation, 12-34
- nonparametric
  - Kruskal-Wallis, 3-12
  - Spearman's  $\rho$ , 6-13
- normal probability plot, 2-19

normal-normal plot, 2-19  
 omnibus test, 2-10  
 one sample t test, 1-7  
 origin, 6-18  
 orthogonality, 3-3  
 outliers, 7-7  
     Cook's D, 7-12  
 paired t test, 5-20  
 part correlation, 8-4  
 partial correlation, 8-5  
 partial least squares (PLS), 12-35  
 PCA  
     autoencoder, 11-85  
     communalities, 11-47  
 percent variance, 2-12  
 plotting means, 4-18  
 PLS, 12-35  
 polynomial regression, 8-1  
 pooled error term, 1-11  
 post hoc comparisons, 3-16  
     Duncan's test, 3-22  
     example, 3-36  
     factorial, 4-14  
     Fisher's LSD test, 3-22  
     flow chart, 3-24  
     Newman-Keuls test, 3-20  
     Scheffe test, 3-20  
     Tukey's HSD test, 3-18  
     Tukey's WSD test, 3-20  
 power, 2-10  
     contrasts, 3-14  
 principal components  
     eigenvalues, 11-17  
 principal components analysis, 11-15  
     assumptions, 11-55  
     eigenvalue confidence interval,  
         11-55  
     factor scores, 11-33  
     matrix input, 11-70  
     rotations, 11-56  
     testing covariance matrix, 11-56  
     tests, 11-55  
 Procrustean methods, 10-26  
 projection, 11-79  
 propensity scores, 9-26  
 quantile-quantile plot, 2-19  
 R  
     addtree, 10-77  
     CART, 10-79  
     F value, 2-10  
     factorial ANOVA, 4-58  
     indscal, 10-73  
     k-means clustering, 10-51  
     quantile plot, 2-22  
     spread and level, 2-18  
     syntax, 12-38  
     t value, 1-6  
 R syntax  
     exploratory analyses, 1-15, 1-  
         16  
     ONEWAY, 2-13  
 $R^2$ , 2-12  
 random effects, 5-5, 5-7  
     assumptions, 5-6  
 randomized block, 4-2  
     coding, 4-35  
 range distribution, 3-17  
 ranks, 1-21  
 regression, 6-1, 6-13  
     adjusted  $R^2$ , 8-7  
     ANCOVA, 9-1  
     ANOVA, 8-19  
         examples, 8-20  
     assumptions, 6-20, 7-1  
     centering, 8-16  
     classification and tree, 10-53

constant variance assumption, 7-6  
 contrast coding, 8-29  
 covariance matrix, 13-6  
 dummy coding, 8-19  
 effects coding, 8-19  
 factorial design, 8-30  
 hypothesis test, 6-19  
 increment in  $R^2$ , 7-21, 8-34  
 interactions, 8-14  
 intercept, 6-14  
 logistic regression, 9-16  
 modeling procedure, 8-38  
 multicollinearity, 8-8, 8-16  
     remedial measures, 8-14  
 multiple regression, 7-18  
 nonlinearity, 7-3  
 origin, 6-18  
 part correlation, 8-4  
 partial correlation, 8-5  
 polynomial, 7-3, 8-1  
 predicting average values, 6-21  
 predicting from new X values, 6-22  
 predicting individual points, 6-21  
 reliability, 13-24  
 repeated measures, 8-36  
 residuals, 6-14  
 sampling, 8-18  
 semi-part correlation, 8-4  
 sepred, 6-34  
 sets of variables, 7-21  
 slope, 6-14  
 source table, 6-17  
 standardized beta, 8-7  
 time series, 9-27  
 two sample t test, 7-15  
 variance decomposition, 6-16, 7-18  
 regression theory  
     origin, 6-18  
 reliability, 13-8  
     correction for attenuation, 13-11  
     Cronbach's  $\alpha$ , 13-13  
     multiple regression, 13-26  
     regression, 13-24  
     Spearman-Brown, 13-11  
 repeated measures, 5-19  
     ANOVA, 12-1  
     assumptions, 5-28  
         compound symmetry, 5-29  
         Greenhouse and Geisser, 5-31  
         Huynhdt and Feldt, 5-31  
         sphericity, 5-29, 5-32  
     multilevel model, 5-44  
     regression, 8-36  
     structural model, 5-23  
 replication, 3-11  
 residual, 2-8  
 residuals, 6-14  
     assumptions, 7-1  
     constant variance, 7-6  
     outliers, 7-7  
 results section, 5-51  
 robustness, 2-23  
 rotation, 11-83  
     multidimensional scaling, 10-22  
 rule of the bulge, 7-3  
 sampling distribution, 1-4  
     parameters, 1-4  
 Scheffe test, 3-20  
 SEM, 13-46  
     GFI, 13-48  
     reporting, 13-61  
     testing, 13-49

- semi-part correlation, 8-4
- separate variance t test, 1-19
- sequential approach, 8-16
- simple interaction effects, 5-46
- simple main effects, 5-46
- slope, 6-14
  - hypothesis test, 6-19
- source table
  - latin square, 4-37
  - one way ANOVA, 2-7
  - randomized block, 4-4
  - regression, 6-17
- Spearman's  $\rho$ , 6-13
- Spearman-Brown, 13-11
- spectral decomposition, 11-19, 11-84
- sphericity, 5-29, 5-32
- spread and level, 2-17
- SPSS
  - GLM, 5-27
  - k-means clustering, 10-49
  - mixed, 5-27
- SPSS syntax
  - ANOVA, 4-41
  - CORRELATION, 6-24
  - factor, 11-20
  - GLM, 4-47
  - GRAPH
    - errorbar, 1-13
    - histogram, 1-23
  - graphs, 4-18
  - MANOVA, 4-43
  - matrix input, 11-20, 11-70
  - missing value code, 6-31
  - ONEWAY, 2-13
    - post hoc tests, 3-26
  - REGRESSION, 6-24
    - zpp, 8-13
  - TTEST, 1-13
  - unfolding analysis, 11-68
  - UNIANOVA, 4-46
- standard deviation, 1-4
- standardized beta, 8-7
- stress, 10-13
- Structural Equation Modeling, 13-46
- structural model
  - factorial ANOVA, 4-1, 4-8
  - latin square, 4-7
  - one way ANOVA, 2-3
  - randomized block, 4-4
  - repeated measures, 5-23
- studentized range distribution, 3-18
- study tips, 1-2
- symmetric matrix, 11-81
- t distribution, 1-4
- t test
  - paired, 5-20
  - one sample, 1-7
  - two sample, 1-10, 7-15
  - Welch's test, 1-19
- time series, 9-27
- transformations, 1-21, 2-15, 2-24
  - ladder, 2-15
  - results sections, 2-24
  - rule of the bulge, 7-3
  - spread and level, 2-17
- transposition, 11-76
- Tukey's HSD test, 3-18
- Tukey's WSD test, 3-20
- two sample t test, 1-10
  - pooled error, 1-11
  - ranks, 1-21
  - regression, 7-15
  - Welch test, 1-19
- ultrametric condition, 10-39
- unequal sample size
  - experimental approach, 5-2
  - hierarchical approach, 5-2

- unique approach, 5-2
- unfolding analysis, 11-1
  - model, 11-13
  - preference modeling, 11-14
- unique approach, 5-2
  
- variance, 1-3
- variance decomposition
  - factorial ANOVA, 4-1, 4-8
  - latin square, 4-7
  - one way ANOVA, 2-5
  - randomized block, 4-4
  - regression, 6-16, 7-18
- vector, 11-72
  
- Welch's t test, 1-19
- Wilcoxon test, 1-21