additive tree structure, 10-32
  ADDTREE, 10-75
  EXTREE, 10-38
  four point condition, 10-38
  R, 10-78
ADDTREE, 10-32, 10-75, 10-78
addtree
  R, 10-88
adjusted R^2, 8-7
ALSCAL, 10-72
ANCOVA, 9-1
  assumptions, 9-5
  example, 9-7
  MANOVA syntax, 9-11
  propensity scores, 9-26
ANOVA
  assumptions, 3-11, 4-8
    paired t test, 5-28
    random effects, 5-6
    repeated measures, 5-28
  Bonferroni, 3-8
  coding, 4-59
  contrasts, 3-1
  degrees of freedom, 2-7
  factorial, 4-1, 4-8
  fixed effects, 2-1
  interaction, 4-17
  latin square, 4-6
  multiple comparisons, 3-7, 4-12
  multivariate, 5-31
  nested designs, 5-14
  omnibus test, 2-10
  one way, 2-1
  percent variance, 2-12
  plots, 4-18
  power, 2-10
  random effects, 5-5, 5-7
  randomized block, 4-2
  regression, 8-19
  repeated measures, 5-19, 12-1
  residual, 2-8
  simple interaction effects, 5-46
  simple main effects, 5-46
  source table
    latin square, 4-37
    one way, 2-7
    randomized block, 4-4
  structural model
    factorial, 4-1, 4-8
    latin square, 4-7
    one way, 2-3
    randomized block, 4-4
    repeated measures, 5-23
  unequal sample size, 5-2
  variance decomposition
    factorial, 4-1, 4-8
    latin square, 4-7
    one way, 2-5
    randomized block, 4-4
assumptions
  ANCOVA, 9-5
  ANOVA, 3-11
  boxplots, 2-14, 2-18
  checking, 3-11
  equal variance, 2-14
  factorial ANOVA, 4-8
  Hartley test, 1-16
  interaction & transformations, 4-27
  latin square design, 4-7
  Levene test, 1-16
  measurement issues, 1-29
  normality, 2-19
    normal-normal plot, 2-19
    quantile-quantile plot, 2-19
  paired t test, 5-28
  PCA, 11-58
  random effects model, 5-6
  randomized block design, 4-7

regression, 6-20
repeated measures, 5-28
compound symmetry, 5-29
sphericity, 5-29, 5-32
residuals, 7-1
spread and level, 2-17
t test, 1-13
transformations, 2-15
violations, 1-19
autoencoder, 11-101

basic definitions, 1-3
big picture, 9-15
binary data, 9-16
biplot, 10-58, 11-4
bivariate normal, 6-1
bonehead, 3-9
Bonferroni, 3-8
Box & Cox transformation, 2-18
boxplots, 1-14, 2-14, 2-18

canonical correlation, 12-28
iterative technique, 12-39
nonlinear, 12-44
CART, 10-58
R, 10-91
centering, 8-16
central limit theorem, 1-4
classification and regression tree, 10-58
cluster
classification and tree, 10-58
mixture models, 10-70
coding factorial ANOVA, 4-59
communalities, 11-49
compound symmetry, 5-29
confidence interval, 1-7
constant variance assumption
regression, 7-6
contrast coding, 8-29
contrasts, 3-1
Bonferroni, 3-8
correlations, 6-12
effect size, 4-15
example, 3-32
factorial ANOVA, 4-13
general method, 12-1
multiplicity problem, 3-35
orthogonality, 3-3
polynomial contrasts, 3-5
power, 3-14
Scheffe test, 3-20
simple interaction effects, 5-46
simple main effects, 5-46
sum of squares, 3-5
uniqueness, 3-38
Cook's D, 7-12
corner inequality, 10-49
correction for attenuation, 13-12
correlation
contrasts, 6-12
correlation coefficient, 6-1, 6-6
hypothesis test, 6-7
nonparametric, 6-13
Correspondence Analysis, 10-58
covariance, 6-1
covariance algebra, 13-1
Cronbach's α, 13-14

deep thoughts, 9-30
degrees of freedom
ANOVA, 2-7
diagonal matrix, 11-97
dichotomization, 8-35
dot product, 11-89
dummy coding, 8-19
Duncan's test, 3-22

effect size
contrasts, 4-15

effects coding, 8-19
eigenvalue, 11-100
eigenvalues, 11-19
eigenvector, 11-100
eigenvectors, 11-19
excel
    F value, 2-9
    t value, 1-6
expected mean square
    factorial, 4-26
    one way ANOVA, 2-8
    random effects model, 5-6
    repeated measures, 5-23
experimental approach, 5-2
exploratory data analysis, 1-14
EXTREE, 10-38

F distribution, 2-9
factor analysis, 11-79
    diagonal, 11-79
    matrix input, 11-86
    reliability, 11-79
    SEM, 13-50
factor scores, 11-35
factorial ANOVA, 4-1, 4-8
    interaction, 4-17
    R, 4-58
    simple interaction effect, 5-46
    simple main effect, 5-46
factorial design
    regression, 8-30
false discover rate, 3-23
Fisher r-to-Z, 6-9
Fisher's LSD test, 3-22
Fisher's r-to-Z transformation, 6-7
flow chart, 3-24
four point condition, 10-38

generalized additive model, 9-30
generalized linear model, 9-29
GFI, 13-64
Greenhouse and Geisser, 5-31

Hartley test, 1-16
hierarchical approach, 5-2
hierarchical clustering, 10-39
    ultrametric condition, 10-39
Huyndt and Feldt, 5-31

ICA, 11-73
identity matrix, 11-97
increment in R^2, 7-21, 8-34
INDSCAL, 10-27, 10-72
indscal
    R, 10-82
Instrumental Variables, 13-32
interaction, 4-17
    regressions, 8-14
intercept, 6-14
    hypothesis test, 6-19
interquartile range, 1-4
IQR, 1-4

k-means clustering
    SPSS, 10-49
kludge, 6-32
kmeans clustering
    R, 10-51
Kruskal-Wallis test, 3-12

Lasso, 11-50
latin square, 4-6
    coding data, 4-37
    source table, 4-37
    structural model, 4-7
    variance decomposition, 4-7
least squares, 6-15
Levene test, 1-16
linear algebra, 11-88
    diagonal matrix, 11-97
    eigenvalue, 11-100

eigenvalues, 11-19
eigenvector, 11-100
eigenvectors, 11-19
matrix, 11-89
matrix inverse, 11-92
projection, 11-95
rotation, 11-99
spectral decomposition, 11-21, 11-100
transposition, 11-92
vector, 11-88
logistic regression, 9-16
examples, 9-22
propensity scores, 9-26

Mann-Whitney U test, 1-21
MANOVA, 12-4, 12-5
syntax, 12-47
matrix, 11-89
diagonal, 11-97
eigenvalue, 11-100
eigenvector, 11-100
identity, 11-97
projection, 11-95
rotation, 11-99
spectral decomposition, 11-100
symmetric, 11-97
matrix input into SPSS, 11-22
matrix inverse, 11-92
McClelland & Judd, 8-18
MDS
R, 10-78
means, 1-3
plots, 4-18
measurement issues, 1-29
median, 1-3
median split, 8-35
Mediation, 13-39
metric axioms, 10-9
Minkowski distance metric, 10-11
missing value code, 6-31
misspecified model, 9-2
mixture models, 10-70
monotonic regression, 10-15
multicollinearity, 8-8, 8-16
example, 8-9
remedial measures, 8-14
SPSS syntax
zpp, 8-13
multidimensional unfolding
model, 11-13
multidimensional scaling, 10-1
ALSCAL, 10-72
corner inequality, 10-49
INDSCAL, 10-27, 10-72
metric axioms, 10-9
Minkowski distance metric, 10-11
monotonic regression, 10-15
rotation, 10-22
stress, 10-13
multidimensional unfolding, 11-8
multilevel model, 5-44
multiple comparisons, 3-7
Bonferroni, 3-8
contrasts, 3-35
factorial, 4-12
flow chart, 3-24
post hoc comparisons, 3-16
snooping, 3-16
multiple regression, 7-18
Multivariate ANOVA, 12-4
multivariate ANOVA, 5-31

nested designs, 5-14
Newman-Keuls test, 3-20
nonlinear canonical correlation, 12-44
nonparametric
Kruskal-Wallis, 3-12
Spearman's ρ, 6-13
normal probability plot, 2-19

normal-normal plot, 2-19

omnibus test, 2-10
one sample t test, 1-7
origin, 6-18
orthogonality, 3-3
outliers, 7-7
    Cook's D, 7-12

paired t test, 5-20
part correlation, 8-4
partial correlation, 8-5
partial least squares (PLS), 12-45
PCA
    autoencoder, 11-101
    communalities, 11-49
percent variance, 2-12
plotting means, 4-18
PLS, 12-45
polynomial regression, 8-1
pooled error term, 1-11
post hoc comparisons, 3-16
    Duncan's test, 3-22
    example, 3-36
    factorial, 4-14
    Fisher's LSD test, 3-22
    flow chart, 3-24
    Newman-Keuls test, 3-20
    Scheffe test, 3-20
    Tukey's HSD test, 3-18
    Tukey's WSD test, 3-20
power, 2-10
    contrasts, 3-14
principal components
    eigenvalues, 11-19
principal components analysis, 11-16
    assumptions, 11-58
    eigenvalue confidence interval, 11-59
    factor scores, 11-35
    matrix input, 11-86
    rotations, 11-59
    testing covariance matrix, 11-59
    tests, 11-59
Procrustean methods, 10-26
projection, 11-95
propensity scores, 9-26

quantile-quantile plot, 2-19

R
    addtree, 10-88
    CART, 10-91
    F value, 2-10
    factorial ANOVA, 4-58
    indscal, 10-82
    k-means clustering, 10-51
    quantile plot, 2-22
    spread and level, 2-18
    syntax, 12-35
    t value, 1-6
R syntax
    exploratory analyses, 1-15, 1-16
    ONEWAY, 2-13
R^2, 2-12
random effects, 5-5, 5-7
    assumptions, 5-6
randomized block, 4-2
    coding, 4-35
range distribution, 3-17
ranks, 1-21
regression, 6-1, 6-13
    adjusted R^2, 8-7
    ANCOVA, 9-1
    ANOVA, 8-19
      examples, 8-20
    assumptions, 6-20, 7-1
    centering, 8-16
    classification and tree, 10-58

constant variance assumption, 7-6
contrast coding, 8-29
covariance matrix, 13-7
dummy coding, 8-19
effects coding, 8-19
factorial design, 8-30
hypothesis test, 6-19
increment in R^2, 7-21, 8-34
interactions, 8-14
intercept, 6-14
logistic regression, 9-16
modeling procedure, 8-38
multicollinearity, 8-8, 8-16
  remedial measures, 8-14
multiple regression, 7-18
nonlinearity, 7-3
origin, 6-18
part correlation, 8-4
partial correlation, 8-5
polynomial, 7-3, 8-1
predicting average values, 6-21
predicting from new X values, 6-22
predicting individual points, 6-21
reliability, 13-26
repeated measures, 8-36
residuals, 6-14
sampling, 8-18
semi-part correlation, 8-4
sepred, 6-34
sets of variables, 7-21
slope, 6-14
source table, 6-17
standardized beta, 8-7
time series, 9-27
two sample t test, 7-15
  variance decomposition, 6-16, 7-18
regression theory
  origin, 6-18
regularizations, 11-51
reliability, 13-9
  correction for attenuation, 13-12
  Cronbach's α, 13-14
  multiple regression, 13-29
  regression, 13-26
  Spearman-Brown, 13-12
repeated measures, 5-19
  ANOVA, 12-1
  assumptions, 5-28
    compound symmetry, 5-29
    Greenhouse and Geisser, 5-31
    Huyndt and Feldt, 5-31
    sphericity, 5-29, 5-32
  multilevel model, 5-44
  regression, 8-36
  structural model, 5-23
replication, 3-11
residual, 2-8
residuals, 6-14
  assumptions, 7-1
  constant variance, 7-6
  outliers, 7-7
results section, 5-51
ridge regression, 11-51
robustness, 2-23
rotation, 11-99
  multidimensional scaling, 10-22
rule of the bulge, 7-3

sampling distribution, 1-4
  parameters, 1-4
Scheffe test, 3-20
SEM, 13-49
  GFI, 13-64

reporting, 13-75
testing, 13-65
semi-part correlation, 8-4
separate variance t test, 1-19
sequential approach, 8-16
simple interaction effects, 5-46
simple main effects, 5-46
slope, 6-14
hypothesis test, 6-19
source table
latin square, 4-37
one way ANOVA, 2-7
randomized block, 4-4
regression, 6-17
Spearman's ρ, 6-13
Spearman-Brown, 13-12
spectral decomposition, 11-21, 11-100
sphericity, 5-29, 5-32
spread and level, 2-17
SPSS
GLM, 5-27
k-means clustering, 10-49
mixed, 5-27
SPSS syntax
ANOVA, 4-41
CORRELATION, 6-24
factor, 11-22
GLM, 4-47
GRAPH
errorbar, 1-13
histogram, 1-23
graphs, 4-18
MANOVA, 4-43
matrix input, 11-22, 11-86
missing value code, 6-31
ONEWAY, 2-13
post hoc tests, 3-26
REGRESSION, 6-24
zpp, 8-13
TTEST, 1-13
unfolding analysis, 11-84
UNIANOVA, 4-46
standard deviation, 1-4
standardized beta, 8-7
stress, 10-13
Structural Equation Modeling, 13-49
structural model
factorial ANOVA, 4-1, 4-8
latin square, 4-7
one way ANOVA, 2-3
randomized block, 4-4
repeated measures, 5-23
studentized range distribution, 3-18
study tips, 1-2
symmetric matrix, 11-97

t distribution, 1-4
t test
paired, 5-20
one sample, 1-7
two sample, 1-10, 7-15
Welch's test, 1-19
time series, 9-27
transformations, 1-21, 2-15, 2-24
ladder, 2-15
results sections, 2-24
rule of the bulge, 7-3
spread and level, 2-17
transposition, 11-92
Tukey's HSD test, 3-18
Tukey's WSD test, 3-20
two sample t test, 1-10
pooled error, 1-11
ranks, 1-21
regression, 7-15
Welch test, 1-19

ultrametric condition, 10-39
unequal sample size

experimental approach, 5-2
hierarchical approach, 5-2
unique approach, 5-2
unfolding analysis, 11-1
model, 11-13
preference modeling, 11-15
unique approach, 5-2

variance, 1-3
variance decomposition
factorial ANOVA, 4-1, 4-8
latin square, 4-7
one way ANOVA, 2-5
randomized block, 4-4
regression, 6-16, 7-18
vector, 11-88

Welch's t test, 1-19
Wilcoxon test, 1-21