## PROBLEM SET 2 (DUE ON THURSDAY, SEP 24)

(All Exercises are references to the November 18, 2017 version of Foundations of Algebraic Geometry by R. Vakil.)

- **Problem 1.** Let  $\pi: \mathbb{Q}[x] \to \mathbb{C}[x]$  be the ring homomorphism sending x to x. Let  $\pi^*: \operatorname{Spec} \mathbb{C}[x] \to \operatorname{Spec} \mathbb{Q}[x]$  be the induced map of spectra. For each point  $p \in \operatorname{Spec} \mathbb{Q}[x]$ , describe the fiber  $(\pi^*)^{-1}(p)$  (as a set).
- **Problem 2.** Let n > 0 and let  $\pi : \mathbb{Z} \to \mathbb{Z}[x_1, \ldots, x_n]$  be the unique ring homomorphism. Let  $\pi^* : \operatorname{Spec} \mathbb{Z}[x_1, \ldots, x_n] \to \operatorname{Spec} \mathbb{Z}$  be the induced map of spectra. For each point  $p \in \operatorname{Spec} \mathbb{Z}$ , describe a bijection between the fiber  $(\pi^*)^{-1}(p)$  and  $\operatorname{Spec} k_p[x_1, \ldots, x_n]$  for some field  $k_p$ . (Exercise 3.2.Q has some discussion and a picture that might be helpful.)
- **Problem 3.** Exercise 3.5.B (covering Spec A with distinguished open sets)
- **Problem 4.** Exercise 3.5.E (equivalent conditions to  $D(f) \subset D(g)$ )
- **Problem 5.** Exercise 3.6.J (when are the closed points in Spec A dense? (As suggested in the hint, you will want to read the statement of Zariski's Lemma in 3.2.5.))