PROBLEM SET 2 (DUE ON THURSDAY, SEP 22)

(All Exercises are references to the August 29, 2022 version of *Foundations of Algebraic Geometry* by R. Vakil.)

- **Problem 1.** Let $\pi : \mathbb{Q}[x] \to \mathbb{C}[x]$ be the ring homomorphism sending x to x. Let $\pi^* :$ Spec $\mathbb{C}[x] \to \text{Spec }\mathbb{Q}[x]$ be the induced map of spectra. For each point $p \in$ Spec $\mathbb{Q}[x]$, describe the fiber $(\pi^*)^{-1}(p)$ (as a set).
- **Problem 2.** Let n > 0 and let $\pi : \mathbb{Z} \to \mathbb{Z}[x_1, \ldots, x_n]$ be the unique ring homomorphism. Let $\pi^* : \operatorname{Spec} \mathbb{Z}[x_1, \ldots, x_n] \to \operatorname{Spec} \mathbb{Z}$ be the induced map of spectra. For each point $p \in \operatorname{Spec} \mathbb{Z}$, describe a bijection between the fiber $(\pi^*)^{-1}(p)$ and $\operatorname{Spec} k_p[x_1, \ldots, x_n]$ for some field k_p . (Essential Algebra Exercises 3.2.J and 3.2.K might be useful here - I'll talk about them a little on Tuesday, but you might want to think about them yourself anyway. Exercise 3.2.Q has some discussion and a picture that might be helpful.)
- **Problem 3.** Exercise 3.5.B (covering Spec A with distinguished open sets)
- **Problem 4.** Exercise 3.5.E (equivalent conditions to $D(f) \subset D(g)$)
- **Problem 5.** Exercise 3.6.J (when are the closed points in Spec A dense? (As suggested in the hint, you will want to read the statement of Zariski's Lemma in 3.2.5.))